


Load ▾

System boot

Save ▾




Attention!



## Configuring System Boot Options

### Boot Menu

☒ Boot selection menu timer

5 seconds

Default Load:

Last Successful Boot

Boot screen display mode:

Boot animation with log

☐ Boot menu username:

☐ Boot menu user password:

### Parameters passed to the kernel

| Enable                   | Option                        | Description                                                            |
|--------------------------|-------------------------------|------------------------------------------------------------------------|
| <input type="checkbox"/> | quiet                         | Load without text messages                                             |
| <input type="checkbox"/> | splash                        | Show splashscreen                                                      |
| <input type="checkbox"/> | noplymouth                    | Disable Plymouth                                                       |
| <input type="checkbox"/> | acpi=off                      | Disable ACPI                                                           |
| <input type="checkbox"/> | noapic                        | Disable APIC                                                           |
| <input type="checkbox"/> | nolapic                       | Disable local APIC                                                     |
| <input type="checkbox"/> | single                        | Single user mode                                                       |
| <input type="checkbox"/> | nomodeset                     | Disable kernel selection and loading of video drivers                  |
| <input type="checkbox"/> | i915.enable_dc=0              | Disable GPU power management                                           |
| <input type="checkbox"/> | ahci.mobile_lpm_policy=1      | Maximum performance, power management                                  |
| <input type="checkbox"/> | snd-intel-dspcfg.dsp_driver=1 | Force selection of Intel audio device driver                           |
| <input type="checkbox"/> | intel_idle.max_cstate=1       | Prevents the processor from entering a deep sleep state                |
| <input type="checkbox"/> | intel_idle.max_cstate=4       | Eliminates laptop display flickering on Intel Ultra Voltage processors |

Command line options:

### Terminal for input

| Enable                   | Option       | Description                               |
|--------------------------|--------------|-------------------------------------------|
| <input type="checkbox"/> | console      | PC BIOS & EFI Console                     |
| <input type="checkbox"/> | serial       | Serial terminal                           |
| <input type="checkbox"/> | ofconsole    | Console Open Firmware                     |
| <input type="checkbox"/> | at_keyboard  | Keyboard PC AT (Coreboot)                 |
| <input type="checkbox"/> | usb_keyboard | Keyboard USB Keyboard (протокол HID Boot) |

Command line options:

### Terminal for output

| Enable                   | Option    | Description                |
|--------------------------|-----------|----------------------------|
| <input type="checkbox"/> | console   | PC BIOS & EFI Console      |
| <input type="checkbox"/> | serial    | Serial Terminal            |
| <input type="checkbox"/> | ofconsole | Console Open Firmware      |
| <input type="checkbox"/> | gfxterm   | Output in graphics mode    |
| <input type="checkbox"/> | vga_text  | VGA text output (Coreboot) |

Command line options:



 Load ▾

System boot

Save ▾




 Attention!



Configuring System Boot Options

Boot Menu

☒ Boot selection menu timer  seconds

Default Load:

Boot screen display mode:

☐ Boot menu username:

☐ Boot menu user password:

Parameters passed to the kernel

| Enable                   | Option                        | Description                                                            |
|--------------------------|-------------------------------|------------------------------------------------------------------------|
| <input type="checkbox"/> | quiet                         | Load without text messages                                             |
| <input type="checkbox"/> | splash                        | Show splashscreen                                                      |
| <input type="checkbox"/> | noplymouth                    | Disable Plymouth                                                       |
| <input type="checkbox"/> | acpi=off                      | Disable ACPI                                                           |
| <input type="checkbox"/> | noapic                        | Disable APIC                                                           |
| <input type="checkbox"/> | nolapic                       | Disable local APIC                                                     |
| <input type="checkbox"/> | single                        | Single user mode                                                       |
| <input type="checkbox"/> | nomodeset                     | Disable kernel selection and loading of video drivers                  |
| <input type="checkbox"/> | i915.enable_dc=0              | Disable GPU power management                                           |
| <input type="checkbox"/> | ahci.mobile_lpm_policy=1      | Maximum performance, power management                                  |
| <input type="checkbox"/> | snd-intel-dspcfg.dsp_driver=1 | Force selection of Intel audio device driver                           |
| <input type="checkbox"/> | intel_idle.max_cstate=1       | Prevents the processor from entering a deep sleep state                |
| <input type="checkbox"/> | intel_idle.max_cstate=4       | Eliminates laptop display flickering on Intel Ultra Voltage processors |

Command line options:

Terminal for input

| Enable                   | Option       | Description                               |
|--------------------------|--------------|-------------------------------------------|
| <input type="checkbox"/> | console      | PC BIOS & EFI Console                     |
| <input type="checkbox"/> | serial       | Serial terminal                           |
| <input type="checkbox"/> | ofconsole    | Console Open Firmware                     |
| <input type="checkbox"/> | at_keyboard  | Keyboard PC AT (Coreboot)                 |
| <input type="checkbox"/> | usb_keyboard | Keyboard USB Keyboard (протокол HID Boot) |

Command line options:

Terminal for output

| Enable                   | Option    | Description                |
|--------------------------|-----------|----------------------------|
| <input type="checkbox"/> | console   | PC BIOS & EFI Console      |
| <input type="checkbox"/> | serial    | Serial Terminal            |
| <input type="checkbox"/> | ofconsole | Console Open Firmware      |
| <input type="checkbox"/> | gfxterm   | Output in graphics mode    |
| <input type="checkbox"/> | vga_text  | VGA text output (Coreboot) |

Command line options:





Load

System boot

Save

Attention!

Help  
 About

## Configuring System Boot Options

### Boot Menu

☒ Boot selection menu timer

5 seconds

Default Load:

Last Successful Boot

Boot screen display mode:

Boot animation with log

☐ Boot menu username:

☐ Boot menu user password:

### Parameters passed to the kernel

| Enable                   | Option                        | Description                                                            |
|--------------------------|-------------------------------|------------------------------------------------------------------------|
| <input type="checkbox"/> | quiet                         | Load without text messages                                             |
| <input type="checkbox"/> | splash                        | Show splashscreen                                                      |
| <input type="checkbox"/> | noplymouth                    | Disable Plymouth                                                       |
| <input type="checkbox"/> | acpi=off                      | Disable ACPI                                                           |
| <input type="checkbox"/> | noapic                        | Disable APIC                                                           |
| <input type="checkbox"/> | nolapic                       | Disable local APIC                                                     |
| <input type="checkbox"/> | single                        | Single user mode                                                       |
| <input type="checkbox"/> | nomodeset                     | Disable kernel selection and loading of video drivers                  |
| <input type="checkbox"/> | i915.enable_dc=0              | Disable GPU power management                                           |
| <input type="checkbox"/> | ahci.mobile_lpm_policy=1      | Maximum performance, power management                                  |
| <input type="checkbox"/> | snd-intel-dspcfg.dsp_driver=1 | Force selection of Intel audio device driver                           |
| <input type="checkbox"/> | intel_idle.max_cstate=1       | Prevents the processor from entering a deep sleep state                |
| <input type="checkbox"/> | intel_idle.max_cstate=4       | Eliminates laptop display flickering on Intel Ultra Voltage processors |

Command line options:

### Terminal for input

| Enable                   | Option       | Description                               |
|--------------------------|--------------|-------------------------------------------|
| <input type="checkbox"/> | console      | PC BIOS & EFI Console                     |
| <input type="checkbox"/> | serial       | Serial terminal                           |
| <input type="checkbox"/> | ofconsole    | Console Open Firmware                     |
| <input type="checkbox"/> | at_keyboard  | Keyboard PC AT (Coreboot)                 |
| <input type="checkbox"/> | usb_keyboard | Keyboard USB Keyboard (протокол HID Boot) |

Command line options:

### Terminal for output

| Enable                   | Option    | Description                |
|--------------------------|-----------|----------------------------|
| <input type="checkbox"/> | console   | PC BIOS & EFI Console      |
| <input type="checkbox"/> | serial    | Serial Terminal            |
| <input type="checkbox"/> | ofconsole | Console Open Firmware      |
| <input type="checkbox"/> | gfxterm   | Output in graphics mode    |
| <input type="checkbox"/> | vga_text  | VGA text output (Coreboot) |

Command line options:

