Load | System boot | Save

Attention!

Configuring System Boot Options

Boot Menu

- [x] Boot selection timer — 5 seconds
- Default Load: UBLinux — [x] The last choice will become the default boot choice
- Password protection: Default

Parameters passed to the kernel

Enable	Option	Description
☐	quiet	Load without text messages
☐	splash	Show splashscreen
☐	noplymouth	Disable Plymouth
☐	acpi=off	Disable ACPI
☐	noapic	Disable APIC
☐	nolapic	Disable local APIC
☐	single	Single user mode
☐	nomodeset	Disable kernel selection and loading of video drivers
☐	i915.enable_dc=0	Disable GPU power management
☐	ahci.mobile_lpm_policy=1	Maximum performance, power management
☐	snd-intel-dspcfg.dsp_driver=1	Force selection of Intel audio device driver
☐	intel_idle.max_cstate=1	Prevents the processor from entering a deep sleep state
☐	intel_idle.max_cstate=4	Eliminates laptop display flickering on Intel Ultra Voltage processors

Command line options:

Terminal for input

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial terminal
☐	ofconsole	Console Open Firmware
☐	at_keyboard	Keyboard PC AT (Coreboot)
☐	usb_keyboard	Keyaboard USB Keyboard (протокол HID Boot)

Command line options:

Terminal for output

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:

Load | System boot | Save

Attention!

Configuring System Boot Options

Boot Menu

- [x] Boot selection timer — 5 seconds
- Default Load: UBLinux
  - Windows 10
  - Tools for Administator (PXE Boot)
- [x] The last choice will become the default boot choice
- Password protection

Parameters passed to the kernel

Enable	Option	Description
☐	quiet	Load without text messages
☐	splash	Show splashscreen
☐	noplymouth	Disable Plymouth
☐	acpi=off	Disable ACPI
☐	noapic	Disable APIC
☐	nolapic	Disable local APIC
☐	single	Single user mode
☐	nomodeset	Disable kernel selection and loading of video drivers
☐	i915.enable_dc=0	Disable GPU power management
☐	ahci.mobile_lpm_policy=1	Maximum performance, power management
☐	snd-intel-dspcfg.dsp_driver=1	Force selection of Intel audio device driver
☐	intel_idle.max_cstate=1	Prevents the processor from entering a deep sleep state
☐	intel_idle.max_cstate=4	Eliminates laptop display flickering on Intel Ultra Voltage processors

Command line options:

Terminal for input

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial terminal
☐	ofconsole	Console Open Firmware
☐	at_keyboard	Keyboard PC AT (Coreboot)
☐	usb_keyboard	Keyaboard USB Keyboard (протокол HID Boot)

Command line options:

Terminal for output

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:

Load | System boot | Save

Attention!

Configuring System Boot Options

Boot Menu

- [x] Boot selection timer — 5 seconds
- Default Load: UBLinux — [x] The last choice will become the default boot choice
- Password protection: Default (Own / Disable)

Parameters passed to the

Enable	Option	Description
[ ]	quiet	Load without text messages
[ ]	splash	Show splashscreen
[ ]	noplymouth	Disable Plymouth
[ ]	acpi=off	Disable ACPI
[ ]	noapic	Disable APIC
[ ]	nolapic	Disable local APIC
[ ]	single	Single user mode
[ ]	nomodeset	Disable kernel selection and loading of video drivers
[ ]	i915.enable_dc=0	Disable GPU power management
[ ]	ahci.mobile_lpm_policy=1	Maximum performance, power management
[ ]	snd-intel-dspcfg.dsp_driver=1	Force selection of Intel audio device driver
[ ]	intel_idle.max_cstate=1	Prevents the processor from entering a deep sleep state
[ ]	intel_idle.max_cstate=4	Eliminates laptop display flickering on Intel Ultra Voltage processors

Command line options:

Terminal for input

Enable	Option	Description
[ ]	console	PC BIOS & EFI Console
[ ]	serial	Serial terminal
[ ]	ofconsole	Console Open Firmware
[ ]	at_keyboard	Keyboard PC AT (Coreboot)
[ ]	usb_keyboard	Keyaboard USB Keyboard (протокол HID Boot)

Command line options:

Terminal for output

Enable	Option	Description
[ ]	console	PC BIOS & EFI Console
[ ]	serial	Serial Terminal
[ ]	ofconsole	Console Open Firmware
[ ]	gfxterm	Output in graphics mode
[ ]	vga_text	VGA text output (Coreboot)

Command line options:

Load ▾ System boot Save ▾

Load global configuration
Load local configuration

Configuring System Boot Options

Boot Menu

☑ Boot selection timer 5 seconds

Default Load: UBLinux ☑ The last choice will become the default boot choice

Password protection Default

Parameters passed to the kernel

Enable	Option	Description
☐	quiet	Load without text messages
☐	splash	Show splashscreen
☐	noplymouth	Disable Plymouth
☐	acpi=off	Disable ACPI
☐	noapic	Disable APIC
☐	nolapic	Disable local APIC
☐	single	Single user mode
☐	nomodeset	Disable kernel selection and loading of video drivers
☐	i915.enable_dc=0	Disable GPU power management
☐	ahci.mobile_lpm_policy=1	Maximum performance, power management
☐	snd-intel-dspcfg.dsp_driver=1	Force selection of Intel audio device driver
☐	intel_idle.max_cstate=1	Prevents the processor from entering a deep sleep state
☐	intel_idle.max_cstate=4	Eliminates laptop display flickering on Intel Ultra Voltage processors

Command line options:

Terminal for input

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial terminal
☐	ofconsole	Console Open Firmware
☐	at_keyboard	Keyboard PC AT (Coreboot)
☐	usb_keyboard	Keyaboard USB Keyboard (протокол HID Boot)

Command line options:

Terminal for output

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:

Load | System boot | Save

Save global and local configuration
Save global configuration
Save local configuration

Attention!

Configuring System Boot Options

Boot Menu

☑ Boot selection timer 5 seconds

Default Load: UBLinux ☑ The last choice will become the default boot choice

Password protection Default

Parameters passed to the kernel

Enable	Option	Description
☐	quiet	Load without text messages
☐	splash	Show splashscreen
☐	noplymouth	Disable Plymouth
☐	acpi=off	Disable ACPI
☐	noapic	Disable APIC
☐	nolapic	Disable local APIC
☐	single	Single user mode
☐	nomodeset	Disable kernel selection and loading of video drivers
☐	i915.enable_dc=0	Disable GPU power management
☐	ahci.mobile_lpm_policy=1	Maximum performance, power management
☐	snd-intel-dspcfg.dsp_driver=1	Force selection of Intel audio device driver
☐	intel_idle.max_cstate=1	Prevents the processor from entering a deep sleep state
☐	intel_idle.max_cstate=4	Eliminates laptop display flickering on Intel Ultra Voltage processors

Command line options:

Terminal for input

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial terminal
☐	ofconsole	Console Open Firmware
☐	at_keyboard	Keyboard PC AT (Coreboot)
☐	usb_keyboard	Keyaboard USB Keyboard (протокол HID Boot)

Command line options:

Terminal for output

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:

Load ▾ System boot Save ▾

Attention!

Configuring System Boot Options

Boot Menu

☑ Boot selection timer 5 seconds

Default Load: UBLinux ☑ The last choice will become the default boot choice

Password protection Default

Parameters passed to the kernel

Enable	Op
☐	qu
☐	sp
☐	no
☐	ac
☐	no
☐	no
☐	sin
☐	no
☐	i91
☐	ah
☐	sn
☐	int
☐	int

ding of video drivers
nt
nanagement
evice driver
tering a deep sleep state
ng on Intel Ultra Voltage processors

Command line options:

System boot

ubl-settings-bootloader

1.0

System boot

Project homepage

Copyright © UBSoft LLC, 2022 - 2023

Terminal for input

Enable	Option	
☐	console	
☐	serial	
☐	ofconsole	
☐	at_keyboard	Keyboard PC AT (Coreboot)
☐	usb_keyboard	Keyaboard USB Keyboard (протокол HID Boot)

Command line options:

Terminal for output

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options: