


Load ▾

System boot

Save ▾





Attention!



Configuring System Boot Options

Boot Menu

☒ Boot selection timer

5

seconds

Default Load:

UBLinux

▾

☒ The last choice will become the default boot choice

Parameters passed to the kernel

Enable	Option	Description
☐	quiet	Load without text messages
☐	splash	Show splashscreen
☐	noplymouth	Disable Plymouth
☐	acpi=off	Disable ACPI
☐	noapic	Disable APIC
☐	nolapic	Disable local APIC
☐	single	Single user mode
☐	nomodeset	Disable kernel selection and loading of video drivers
☐	i915.enable_dc=0	Disable GPU power management
☐	ahci.mobile_lpm_policy=1	Maximum performance, power management
☐	snd-intel-dspcfg.dsp_driver=1	Force selection of Intel audio device driver
☐	intel_idle.max_cstate=1	Prevents the processor from entering a deep sleep state
☐	intel_idle.max_cstate=4	Eliminates laptop display flickering on Intel Ultra Voltage processors

Command line options:

Terminal for input

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial terminal
☐	ofconsole	Console Open Firmware
☐	at_keyboard	Keyboard PC AT (Coreboot)
☐	usb_keyboard	Keyboard USB Keyboard (протокол HID Boot)

Command line options:

Terminal for output

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:

