Load | System boot | Save

Attention!

Configuring System Boot Options

Boot Menu

☑ Boot selection menu timer: 5 seconds

Default Load: Last Successful Boot

Boot screen display mode: Boot animation with log

Boot Menu Users

Administrator	User	Password
☑	superadmin	**********
☐	user	**********

Ringtone at startup

Select	Title	Melody code
☑	ubbeep	480 900 2 1000 2 800 2 400 2 600 3

Parameters passed to the kernel

Enable	Option	Description
☐	quiet	Load without text messages
☐	splash	Show splashscreen
☐	noplymouth	Disable Plymouth
☐	acpi=off	Disable ACPI
☐	noapic	Disable APIC
☐	nolapic	Disable local APIC
☐	single	Single user mode
☐	nomodeset	Disable kernel selection and loading of video drivers
☐	i915.enable_dc=0	Disable GPU power management
☐	ahci.mobile_lpm_policy=1	Maximum performance, power management
☐	snd-intel-dspcfg.dsp_driver=1	Force selection of Intel audio device driver
☐	intel_idle.max_cstate=1	Prevents the processor from entering a deep sleep state
☐	intel_idle.max_cstate=4	Eliminates laptop display flickering on Intel Ultra Voltage processors

Command line options:

Terminal for input

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial terminal
☐	ofconsole	Console Open Firmware
☐	at_keyboard	Keyboard PC AT (Coreboot)
☐	usb_keyboard	Keyaboard USB Keyboard (протокол HID Boot)

Command line options:

Terminal for output

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:

Load | System boot | Save

Attention!

Configuring System Boot Options

Boot Menu

☑ Boot selection menu timer: 5 seconds

Default Load: Last Successful Boot

Boot screen disp

UBLinux
Windows 10
Tools for Administator (PXE Boot)

Boot Menu Us

Administrator	User	Password
☑	superadmin	**********
☐	user	**********

Ringtone at startup

Select	Title	Melody code
☑	ubbeep	480 900 2 1000 2 800 2 400 2 600 3

Parameters passed to the kernel

Enable	Option	Description
☐	quiet	Load without text messages
☐	splash	Show splashscreen
☐	noplymouth	Disable Plymouth
☐	acpi=off	Disable ACPI
☐	noapic	Disable APIC
☐	nolapic	Disable local APIC
☐	single	Single user mode
☐	nomodeset	Disable kernel selection and loading of video drivers
☐	i915.enable_dc=0	Disable GPU power management
☐	ahci.mobile_lpm_policy=1	Maximum performance, power management
☐	snd-intel-dspcfg.dsp_driver=1	Force selection of Intel audio device driver
☐	intel_idle.max_cstate=1	Prevents the processor from entering a deep sleep state
☐	intel_idle.max_cstate=4	Eliminates laptop display flickering on Intel Ultra Voltage processors

Command line options:

Terminal for input

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial terminal
☐	ofconsole	Console Open Firmware
☐	at_keyboard	Keyboard PC AT (Coreboot)
☐	usb_keyboard	Keyaboard USB Keyboard (протокол HID Boot)

Command line options:

Terminal for output

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:

Load | System boot | Save

Attention!

Configuring System Boot Options

Boot Menu

☑ Boot selection menu timer: 5 seconds

Default Load: Last Successful Boot

Boot screen display mode: Boot animation with log

- Boot animation without log
- No boot animation with log output
- No boot animation with abbreviated log output

Boot Menu Users

Administrator		
☑		
☐	user	**********

Ringtone at startup

Select	Title	Melody code
☑	ubbeep	480 900 2 1000 2 800 2 400 2 600 3

Parameters passed to the kernel

Enable	Option	Description
☐	quiet	Load without text messages
☐	splash	Show splashscreen
☐	noplymouth	Disable Plymouth
☐	acpi=off	Disable ACPI
☐	noapic	Disable APIC
☐	nolapic	Disable local APIC
☐	single	Single user mode
☐	nomodeset	Disable kernel selection and loading of video drivers
☐	i915.enable_dc=0	Disable GPU power management
☐	ahci.mobile_lpm_policy=1	Maximum performance, power management
☐	snd-intel-dspcfg.dsp_driver=1	Force selection of Intel audio device driver
☐	intel_idle.max_cstate=1	Prevents the processor from entering a deep sleep state
☐	intel_idle.max_cstate=4	Eliminates laptop display flickering on Intel Ultra Voltage processors

Command line options:

Terminal for input

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial terminal
☐	ofconsole	Console Open Firmware
☐	at_keyboard	Keyboard PC AT (Coreboot)
☐	usb_keyboard	Keyaboard USB Keyboard (протокол HID Boot)

Command line options:

Terminal for output

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:

Load | System boot | Save

Load global configuration
Load local configuration

Configuring System Boot Options

Boot Menu

☑ Boot selection menu timer: 5 seconds

Default Load: Last Successful Boot

Boot screen display mode: Boot animation with log

Boot Menu Users

Administrator	User	Password
☑	superadmin	**********
☐	user	**********

Ringtone at startup

Select	Title	Melody code
☑	ubbeep	480 900 2 1000 2 800 2 400 2 600 3

Parameters passed to the kernel

Enable	Option	Description
☐	quiet	Load without text messages
☐	splash	Show splashscreen
☐	noplymouth	Disable Plymouth
☐	acpi=off	Disable ACPI
☐	noapic	Disable APIC
☐	nolapic	Disable local APIC
☐	single	Single user mode
☐	nomodeset	Disable kernel selection and loading of video drivers
☐	i915.enable_dc=0	Disable GPU power management
☐	ahci.mobile_lpm_policy=1	Maximum performance, power management
☐	snd-intel-dspcfg.dsp_driver=1	Force selection of Intel audio device driver
☐	intel_idle.max_cstate=1	Prevents the processor from entering a deep sleep state
☐	intel_idle.max_cstate=4	Eliminates laptop display flickering on Intel Ultra Voltage processors

Command line options:

Terminal for input

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial terminal
☐	ofconsole	Console Open Firmware
☐	at_keyboard	Keyboard PC AT (Coreboot)
☐	usb_keyboard	Keyaboard USB Keyboard (протокол HID Boot)

Command line options:

Terminal for output

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:

Load | System boot | Save

Save to global and local configuration
Save to global configuration
Save to local configuration

Attention!

Configuring System Boot Options

Boot Menu

☑ Boot selection menu timer: 5 seconds

Default Load: Last Successful Boot

Boot screen display mode: Boot animation with log

Boot Menu Users

Administrator	User	Password
☑	superadmin	**********
☐	user	**********

Ringtone at startup

Select	Title	Melody code
☑	ubbeep	480 900 2 1000 2 800 2 400 2 600 3

Parameters passed to the kernel

Enable	Option	Description
☐	quiet	Load without text messages
☐	splash	Show splashscreen
☐	noplymouth	Disable Plymouth
☐	acpi=off	Disable ACPI
☐	noapic	Disable APIC
☐	nolapic	Disable local APIC
☐	single	Single user mode
☐	nomodeset	Disable kernel selection and loading of video drivers
☐	i915.enable_dc=0	Disable GPU power management
☐	ahci.mobile_lpm_policy=1	Maximum performance, power management
☐	snd-intel-dspcfg.dsp_driver=1	Force selection of Intel audio device driver
☐	intel_idle.max_cstate=1	Prevents the processor from entering a deep sleep state
☐	intel_idle.max_cstate=4	Eliminates laptop display flickering on Intel Ultra Voltage processors

Command line options:

Terminal for input

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial terminal
☐	ofconsole	Console Open Firmware
☐	at_keyboard	Keyboard PC AT (Coreboot)
☐	usb_keyboard	Keyaboard USB Keyboard (протокол HID Boot)

Command line options:

Terminal for output

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:

Load | System boot | Save

Help
About

Attention!

Configuring System Boot Options

Boot Menu

☑ Boot selection menu timer: 5 seconds

Default Load: Last Successful Boot

Boot screen display mode: Boot animation with log

Boot Menu Users

Administrator	User	Password
☑	superadmin	**********
☐	user	**********

Ringtone at startup

Select	Title	Melody code
☑	ubbeep	480 900 2 1000 2 800 2 400 2 600 3

Parameters passed to the kernel

Enable	Option	Description
☐	quiet	Load without text messages
☐	splash	Show splashscreen
☐	noplymouth	Disable Plymouth
☐	acpi=off	Disable ACPI
☐	noapic	Disable APIC
☐	nolapic	Disable local APIC
☐	single	Single user mode
☐	nomodeset	Disable kernel selection and loading of video drivers
☐	i915.enable_dc=0	Disable GPU power management
☐	ahci.mobile_lpm_policy=1	Maximum performance, power management
☐	snd-intel-dspcfg.dsp_driver=1	Force selection of Intel audio device driver
☐	intel_idle.max_cstate=1	Prevents the processor from entering a deep sleep state
☐	intel_idle.max_cstate=4	Eliminates laptop display flickering on Intel Ultra Voltage processors

Command line options:

Terminal for input

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial terminal
☐	ofconsole	Console Open Firmware
☐	at_keyboard	Keyboard PC AT (Coreboot)
☐	usb_keyboard	Keyaboard USB Keyboard (протокол HID Boot)

Command line options:

Terminal for output

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:

Load ▾ System boot Save ▾

Attention!

Configuring System Boot Options

Boot Menu

☑ Boot selection menu timer: 5 seconds

Default Load: Last Successful Boot

Boot screen display mode: Boot animation with log

Boot Menu Users

Administrator
☑
☐

Ringtone at startup

Select	
☑	800 2 400 2 600 3

Parameters passed to the kern

Enable	Opti	
☐	quie	
☐	spla	
☐	nopl	
☐	acpi	
☐	noap	
☐	nola	
☐	sing	
☐	nom	ing of video drivers
☐	i915.enable_dc=0	Disable CPU power management
☐	ahci.mobile_lpm_policy=1	Maximum performance, power management
☐	snd-intel-dspcfg.dsp_driver=1	Force selection of Intel audio device driver
☐	intel_idle.max_cstate=1	Prevents the processor from entering a deep sleep state
☐	intel_idle.max_cstate=4	Eliminates laptop display flickering on Intel Ultra Voltage processors

Command line options:

System boot

ubl-settings-bootloader

1.0

System boot

Project homepage

Copyright © UBSoft LLC, 2022 - 2023

Terminal for input

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial terminal
☐	ofconsole	Console Open Firmware
☐	at_keyboard	Keyboard PC AT (Coreboot)
☐	usb_keyboard	Keyaboard USB Keyboard (протокол HID Boot)

Command line options:

Terminal for output

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options: