

 Attention!


System boot

Configuring System Boot Options

Boot Menu

☒ Boot selection menu timer: seconds

Default Load:

Boot screen display mode:

Boot Menu Users

Administrator	User	Password
☒	superadmin	*****
☐	user	*****

Ringtone at startup

Select	Title	Melody code
☒	ubbeep	480 900 2 1000 2 800 2 400 2 600 3

Parameters passed to the kernel

Enable	Option	Description
☐	quiet	Load without text messages
☐	splash	Show splashscreen
☐	noplymouth	Disable Plymouth
☐	acpi=off	Disable ACPI
☐	noapic	Disable APIC
☐	nolapic	Disable local APIC
☐	single	Single user mode
☐	nomodeset	Disable kernel selection and loading of video drivers
☐	i915.enable_dc=0	Disable GPU power management
☐	ahci.mobile_lpm_policy=1	Maximum performance, power management
☐	snd-intel-dspcfg.dsp_driver=1	Force selection of Intel audio device driver
☐	intel_idle.max_cstate=1	Prevents the processor from entering a deep sleep state
☐	intel_idle.max_cstate=4	Eliminates laptop display flickering on Intel Ultra Voltage processors

Command line options:

Terminal for input

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:

Terminal for output

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:


Load

System boot

Save





Attention!



System boot

Configuring System Boot Options

Boot Menu

☒ Boot selection menu timer:

5

seconds

Default Load:

Default (Last selected boot)

Boot screen display mode:

Boot animation with log

Boot Menu Users

Administrator	User	Password
☒	superadmin	*****
☐	user	*****

Ringtone at startup

Select	Title	Melody code
☒	ubbeep	480 900 2 1000 2 800 2 400 2 600 3

Parameters passed to the kernel

Enable	Option	Description
☐	quiet	Load without text messages
☐	splash	Show splashscreen
☐	noplymouth	Disable Plymouth
☐	acpi=off	Disable ACPI
☐	noapic	Disable APIC
☐	nolapic	Disable local APIC
☐	single	Single user mode
☐	nomodeset	Disable kernel selection and loading of video drivers
☐	i915.enable_dc=0	Disable GPU power management
☐	ahci.mobile_lpm_policy=1	Maximum performance, power management
☐	snd-intel-dspcfg.dsp_driver=1	Force selection of Intel audio device driver
☐	intel_idle.max_cstate=1	Prevents the processor from entering a deep sleep state
☐	intel_idle.max_cstate=4	Eliminates laptop display flickering on Intel Ultra Voltage processors

Command line options:

Terminal for input

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:

Terminal for output

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:



System boot

Configuring System Boot Options

- Boot Menu

☒ Boot selection menu timer: 5 seconds

Default Load:

Boot screen display mod

- Boot Menu Users

Administrato

☒[Edit a user](#)☒ Administrator

Username:

User password:

Confirm password:

☐ Do not encrypt passwords

Password hash:

- Ringtone at startup

Select

☒ Cancel Apply

- Parameters passed to the kernel

Enable	Option	Description
☐	quiet	Load without text messages
☐	splash	Show splashscreen
☐	noplymouth	Disable Plymouth
☐	acpi=off	Disable ACPI
☐	noapic	Disable APIC
☐	nolapic	Disable local APIC
☐	single	Single user mode
☐	nomodeset	Disable kernel selection and loading of video drivers
☐	i915.enable_dc=0	Disable GPU power management
☐	ahci.mobile_lpm_policy=1	Maximum performance, power management
☐	snd-intel-dspcfg.dsp_driver=1	Force selection of Intel audio device driver
☐	intel_idle.max_cstate=1	Prevents the processor from entering a deep sleep state
☐	intel_idle.max_cstate=4	Eliminates laptop display flickering on Intel Ultra Voltage processors

Command line options:

- Terminal for input

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:

- Terminal for output

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:



System boot

Configuring System Boot Options

- Boot Menu

☒ Boot selection menu timer: 5 seconds

Default Load:

Boot screen display mod

- Boot Menu Users

Administrato

☒

- Ringtone at startup

Select

☒[Edit a user](#)☒ Administrator

Username:

superadmin

User password:

Confirm password:

☒ Do not encrypt passwords

Password hash:

grub.pbkdf2.sha512.10000.CF9F22770403C1B

 Cancel

✓ Apply

- Parameters passed to the kernel

Enable	Option	Description
☐	quiet	Load without text messages
☐	splash	Show splashscreen
☐	noplymouth	Disable Plymouth
☐	acpi=off	Disable ACPI
☐	noapic	Disable APIC
☐	nolapic	Disable local APIC
☐	single	Single user mode
☐	nomodeset	Disable kernel selection and loading of video drivers
☐	i915.enable_dc=0	Disable GPU power management
☐	ahci.mobile_lpm_policy=1	Maximum performance, power management
☐	snd-intel-dspcfg.dsp_driver=1	Force selection of Intel audio device driver
☐	intel_idle.max_cstate=1	Prevents the processor from entering a deep sleep state
☐	intel_idle.max_cstate=4	Eliminates laptop display flickering on Intel Ultra Voltage processors

Command line options:

- Terminal for input

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:

- Terminal for output

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:



Configuring System Boot Options

☒ Boot selection menu timer: 5 seconds

Default Load:

Boot screen display mod

- Boot Menu Users

Administrato

☒

- Ringtone at startup

Select

☒

[Add a user](#)

☒ Administrator

Username:

superadmin

User password:

Confirm passwo

☐ Do not encrypt passwords

Password hash:

 Cancel

✓ Apply

- Parameters passed to the kernel

Enable	Option	Description
☐	quiet	Load without text messages
☐	splash	Show splashscreen
☐	noplymouth	Disable Plymouth
☐	acpi=off	Disable ACPI
☐	noapic	Disable APIC
☐	nolapic	Disable local APIC
☐	single	Single user mode
☐	nomodeset	Disable kernel selection and loading of video drivers
☐	i915.enable_dc=0	Disable GPU power management
☐	ahci.mobile_lpm_policy=1	Maximum performance, power management
☐	snd-intel-dspcfg.dsp_driver=1	Force selection of Intel audio device driver
☐	intel_idle.max_cstate=1	Prevents the processor from entering a deep sleep state
☐	intel_idle.max_cstate=4	Eliminates laptop display flickering on Intel Ultra Voltage processors

Command line options:

- Terminal for input

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:

- Terminal for output

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:



System boot

Configuring System Boot Options

- Boot Menu

☒ Boot selection menu timer: 5 seconds

Default Load:

Boot screen display mod

- Boot Menu Users

Administrato

☒☐

- Ringtone at startup

Select

☒

[Add a user](#)

☒ Administrator

Username:

superadmin

User password:

Confirm password:

☒ Do not encrypt passwords

Password hash:

grub.pbkdf2.sha512.10000.CF9F22770403C1B

 Cancel

✓ Apply

- Parameters passed to the kernel

Enable	Option	Description
☐	quiet	Load without text messages
☐	splash	Show splashscreen
☐	noplymouth	Disable Plymouth
☐	acpi=off	Disable ACPI
☐	noapic	Disable APIC
☐	nolapic	Disable local APIC
☐	single	Single user mode
☐	nomodeset	Disable kernel selection and loading of video drivers
☐	i915.enable_dc=0	Disable GPU power management
☐	ahci.mobile_lpm_policy=1	Maximum performance, power management
☐	snd-intel-dspcfg.dsp_driver=1	Force selection of Intel audio device driver
☐	intel_idle.max_cstate=1	Prevents the processor from entering a deep sleep state
☐	intel_idle.max_cstate=4	Eliminates laptop display flickering on Intel Ultra Voltage processors

Command line options:

- Terminal for input

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:

- Terminal for output

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:



Configuring System Boot Options

- Terminal for output

Load

System boot

Save

Attention!

System boot

Configuring System Boot Options

Boot Menu

☒

Boot selection menu timer:

5

seconds

Default Load:

Default (Last selected boot)

Boot screen display:

UBLinux
Windows 10
Tools for Administrator (PXE Boot)

Boot Menu Users:

Administrator	User	Password
☒	superadmin	*****
☐	user	*****

Ringtone at startup

Select	Title	Melody code
☒	ubbeep	480 900 2 1000 2 800 2 400 2 600 3

Parameters passed to the kernel

Enable	Option	Description
☐	quiet	Load without text messages
☐	splash	Show splashscreen
☐	noplymouth	Disable Plymouth
☐	acpi=off	Disable ACPI
☐	noapic	Disable APIC
☐	nolapic	Disable local APIC
☐	single	Single user mode
☐	nomodeset	Disable kernel selection and loading of video drivers
☐	i915.enable_dc=0	Disable GPU power management
☐	ahci.mobile_lpm_policy=1	Maximum performance, power management
☐	snd-intel-dspcfg.dsp_driver=1	Force selection of Intel audio device driver
☐	intel_idle.max_cstate=1	Prevents the processor from entering a deep sleep state
☐	intel_idle.max_cstate=4	Eliminates laptop display flickering on Intel Ultra Voltage processors

Command line options:

Terminal for input

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:

Terminal for output

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:

Load

System boot

Save

Attention!

System boot

Configuring System Boot Options

Boot Menu

☒ Boot selection menu timer:

5

seconds

Default Load:

Default (Last selected boot)

Boot screen display mode:

Boot animation with log

Boot Menu Users

Administrator

☒

user

☐

No boot animation with log

No boot animation with log output

No boot animation with abbreviated log output

Ringtone at startup

Select	Title	Melody code
☒	ubbeep	480 900 2 1000 2 800 2 400 2 600 3
☐		
☐		

Parameters passed to the kernel

Enable	Option	Description
☐	quiet	Load without text messages
☐	splash	Show splashscreen
☐	noplymouth	Disable Plymouth
☐	acpi=off	Disable ACPI
☐	noapic	Disable APIC
☐	nolapic	Disable local APIC
☐	single	Single user mode
☐	nomodeset	Disable kernel selection and loading of video drivers
☐	i915.enable_dc=0	Disable GPU power management
☐	ahci.mobile_lpm_policy=1	Maximum performance, power management
☐	snd-intel-dspcfg.dsp_driver=1	Force selection of Intel audio device driver
☐	intel_idle.max_cstate=1	Prevents the processor from entering a deep sleep state
☐	intel_idle.max_cstate=4	Eliminates laptop display flickering on Intel Ultra Voltage processors

Command line options:

Terminal for input

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:

Terminal for output

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:



Boot screen display mode:	Boot animation with log
---------------------------	-------------------------

Administrator	User	Password
☒	superadmin	*****
☐	user	*****

Select	Title	Melody code
☒	ubbeep	480 900 2 1000 2 800 2 400 2 600 3

Enable	Option	Description
☐	quiet	Load without text messages
☐	splash	Show splashscreen
☐	noplymouth	Disable Plymouth
☐	acpi=off	Disable ACPI
☐	noapic	Disable APIC
☐	noapic	Disable APIC
☐	single	Single user mode
☐	nomodeset	Disable kernel selection and loading of video drivers
☐	i915.enable_dc=0	Disable GPU power management
☐	ahci.mobile_lpm_policy=1	Maximum performance, power management
☐	snd-intel-dspcfg.dsp_driver=1	Force selection of Intel audio device driver
☐	intel_idle.max_cstate=1	Prevents the processor from entering a deep sleep state
☐	intel_idle.max_cstate=4	Eliminates laptop display flickering on Intel Ultra Voltage processors

--

Enable ▲	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

--

Enable ▲	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)



Attention!



System boot

Configuring System Boot Options

↑

↑

↑

☒ Boot selection menu timer:	5		seconds
--	---	---	---------

Default Load:	Default (Last selected boot)
---------------	------------------------------

Boot screen display mode:	Boot animation with log
---------------------------	-------------------------

Administrator	User	Password
☒	superadmin	*****
☐	user	*****

Select	Title	Melody code
☒	ubbeep	480 900 2 1000 2 800 2 400 2 600 3

Enable	Option	Description
☐	quiet	Load without text messages
☐	splash	Show splashscreen
☐	noplymouth	Disable Plymouth
☐	acpi=off	Disable ACPI
☐	noapic	Disable APIC
☐	noapic	Disable local APIC
☐	single	Single user mode
☐	nomodeset	Disable kernel selection and loading of video drivers
☐	i915.enable_dc=0	Disable GPU power management
☐	ahci.mobile_lpm_policy=1	Maximum performance, power management
☐	snd-intel-dspcfg.dsp_driver=1	Force selection of Intel audio device driver
☐	intel_idle.max_cstate=1	Prevents the processor from entering a deep sleep state
☐	intel_idle.max_cstate=4	Eliminates laptop display flickering on Intel Ultra Voltage processors

Command line options:

Enable ▲	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:

Enable ▲	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:



Attention!



Configuring System Boot Options

- ☒ Upgrade to root
-  Documentation
-  About

☒ Boot selection menu timer: 5 seconds

Default Load:	Default (Last selected boot)
---------------	------------------------------

Boot screen display mode:	Boot animation with log
---------------------------	-------------------------

Administrator

Administrator	User	Password
☒	superadmin	*****
☐	user	*****

Select

Select	Title ▲	Melody code
☒	ubbeep	480 900 2 1000 2 800 2 400 2 600 3

Enable ▲

Enable	Option	Description
☐	quiet	Load without text messages
☐	splash	Show splashscreen
☐	noplymouth	Disable Plymouth
☐	acpi=off	Disable ACPI
☐	noapic	Disable APIC
☐	noapic	Disable APIC
☐	noapic	Disable APIC
☐	single	Single user mode
☐	nomodeset	Disable kernel selection and loading of video drivers
☐	i915.enable_dc=0	Disable GPU power management
☐	ahci.mobile_lpm_policy=1	Maximum performance, power management
☐	snd-intel-dspcfg.dsp_driver=1	Force selection of Intel audio device driver
☐	intel_idle.max_cstate=1	Prevents the processor from entering a deep sleep state
☐	intel_idle.max_cstate=4	Eliminates laptop display flickering on Intel Ultra Voltage processors

Command line options:

☐ Enable

Enable ▲	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:

☐ Enable

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:

Load

System boot

Save

Attention!

System boot

Configuring System Boot Options

Boot Menu

☒

Boot selection menu timer:

5

seconds

Default Load:

Default (Last selected boot)

Boot screen display mode:

Boot animation with log

Boot Menu Users

Administrator

☒

☐

Ringtone at startup

Select

☒

Parameters passed to the kernel

Enable	Option	Description
☐	quiet	Disable kernel messages
☐	splash	Disable splash screen
☐	nopl	Disable no platform
☐	acpi	Disable ACPI
☐	noapic	Disable local APIC
☐	single	Single user mode
☐	nomodeset	Disable kernel selection and loading of video drivers
☐	i915.enable_dc=0	Disable GPU power management
☐	ahci.mobile_lpm_policy=1	Maximum performance, power management
☐	snd-intel-dspcfg.dsp_driver=1	Force selection of Intel audio device driver
☐	intel_idle.max_cstate=1	Prevents the processor from entering a deep sleep state
☐	intel_idle.max_cstate=4	Eliminates laptop display flickering on Intel Ultra Voltage processors

Command line options:

Terminal for input

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:

Terminal for output

Enable	Option	Description
☐	console	PC BIOS & EFI Console
☐	serial	Serial Terminal
☐	ofconsole	Console Open Firmware
☐	gfxterm	Output in graphics mode
☐	vga_text	VGA text output (Coreboot)

Command line options:

System boot

Configuring System Boot Options

ubl-settings-bootloader

1.0

System boot

[Project homepage](#)

Copyright © UBSOFT LLC, 2022 - 2023