


Загрузить ▾ →

Службы и процессы systemd

Сохранить ▾ →





Внимание!




Службы и процессы systemd

Настройка работы служб и процессов системы

Системные кнuty

Пользовательские кнuty

Конфигурационные файлы

Сессии

Таймеры

Все ▾

☐ Показать не активные
 ☐ Показать не загруженные

avahi

	Настройка в конфигурации			Настройка в системе			Служба
	Автостарт	Автостоп	Блокировать	Автостарт	Запущена	Юнит	
	☒	☐	☐	☒	☒	активно	avahi-daemon.service
							
							
							
							
							
							
							
							
							
							
							

Служба: avachi-daemon.service
Описание: Avahi mDNS/DNS SD-Stack


Загрузить ▾ →

Службы и процессы systemd

Сохранить ▾ →





Внимание!




Службы и процессы systemd

Настройка работы служб и процессов системы

Системные юниты →

Пользовательские юниты →

Конфигурационные файлы →

Сессии →

Таймеры →

Все ▾

☐ Показать не активные
☐ Показать не загруженные

avahi

	Настройка в конфигурации			Настройка в системе			Служба
	Автостарт	Автостоп	Блокировать	Автостарт	Запущена	Юнит	
        	☒	☐	☐	☒	☒	активно avahi-daemon.service	avahi-daemon.service Описание: Avahi mDNS/DNS SD-Stack Файл юнита: /usr/lib/systemd/system/avahi-daemon.service Состояние файла юнита: включен Активирован: 12:11:33 04.03.2024 Деактивирован: нет данных ☒

Служба: avahi-daemon.service
Описание: Avahi mDNS/DNS SD-Stack

Загрузить

Службы и процессы systemd

Сохранить

Внимание!

Службы и процессы systemd

Настройка работы служб и процессов системы

Системные кинеты Пользовательские кинеты Конфигурационные файлы Сессии Таймеры

Все
 ☐ Показать не активные
 ☐ Показать не загруженные
 avahi

	Настройка в конфигурации			Настройка в системе			Служба
	Автостарт	Автостоп	Блокировать	Автостарт	Запущена	Юнит	
	☒	☐	☐	☒	☒	активно	avahi-daemon.service
							Обновить
							Запустить/Остановить
							Перезапустить
							Перезагрузить настройки
							Состояние
							Показать лог
							Показать файл-источник
							Свойства

Служба: avahi-daemon.service
 Описание: Avahi mDNS/DNS SD-Stack

Загрузить ▾ Службы и процессы systemd Сохранить ▾

Статус сервисов системы

mmx166-pc
 State: **running**
 Jobs: 0 queued
 Failed: 0 units
 Since: Wed 2024-02-21 16:22:50 +06, 51min ago
 CGroup: /

- └─init.scope
 └─1 /sbin/init
- └─system.slice
 └─NetworkManager.service
 └─9141 /usr/bin/NetworkManager --no-daemon
- └─accounts-daemon.service
 └─9679 /usr/lib/accounts-daemon
- └─avahi-daemon.service
 └─9142 "avahi-daemon: running mmx166-pc.local"
 └─9189 "avahi-daemon: chroot helper"
- └─avahi-dnssconfd.service
 └─9143 /usr/bin/avahi-dnssconfd -s
- └─bluetooth.service
 └─9144 /usr/lib/bluetooth/bluetoothd
- └─colord.service
 └─9435 /usr/lib/colord
- └─cups.service
 └─9354 /usr/bin/cupsd -l
- └─dbus-broker.service
 └─8992 /usr/bin/dbus-broker-launch --scope system --audit
 └─9020 dbus-broker --log 4 --controller 9 --machine-id 096bc1cc4dfc0301e6d57a7b202a415b --max-bytes 536870912 --max-fds 4096 --max-matches 131072 --audit
- └─lightdm-plymouth.service
 └─9669 /usr/bin/lightdm
 └─9678 /usr/lib/Xorg :0 -seat seat0 -auth /run/lightdm/root/:0 -nolisten tcp vt7 -novtswitch
- └─media-Data.mount
 └─9674 /usr/bin/udevadm settle --timeout=4 --media-Data=...

Описание: Avahi mDNS/DNS SD-Stack

Загрузить ▾ Службы и процессы systemd Сохранить ▾

Статус сервисов пользователя

mmx166-pc
 State: running
 Jobs: 0 queued
 Failed: 0 units
 Since: Thu 2024-02-22 09:06:57 +06, 1h 47min ago
 CGroup: /user.slice/user-1000.slice/user@1000.service

- app.slice
 - app-dbus\x2d:1.10\x2dorg.a11y.atspi.Registry.slice
 - dbus-:1.10-org.a11y.atspi.Registry@0.service
 - 10121 /usr/lib/at-spi2-registryd --use-gnome-session
 - at-spi-dbus-bus.service
 - 10108 /usr/lib/at-spi-bus-launcher
 - 10113 /usr/bin/dbus-broker-launch --config-file=/usr/share/defaults/at-spi2/accessibility.conf --
- scope user
 - 10114 dbus-broker --log 4 --controller 9 --machine-id 096bc1cc4dfc0301e6d57a7b202a415b --max-bytes 1000000000000000 --max-fds 6400000 --max-matches 5000000000
 - dconf.service
 - 21829 /usr/lib/dconf-service
 - gpg-agent.service
 - 10722 /usr/bin/gpg-agent --supervised
 - obex.service
 - 10691 /usr/lib/bluetooth/obexd
 - xdg-desktop-portal-gtk.service
 - 10834 /usr/lib/xdg-desktop-portal-gtk
 - xdg-permission-store.service
 - 10824 /usr/lib/xdg-permission-store
 - init.scope
 - 10036 /usr/lib/systemd/systemd --user
 - 10037 "(sd-pam)"
 - session.slice
 - dbus.service
 - 10060 /usr/bin/dbus-daemon --session --address=systemd: --nofork --nopidfile --systemd-

Описание:

07

Загрузить ▾ Службы и процессы systemd Сохранить ▾

Установленные юнит-файлы

UNIT FILE	STATE	VENDOR PRESET
proc-sys-fs-binfmt_misc.automount	static	-
dev-hugepages.mount	static	-
dev-mqueue.mount	static	-
media-Data.mount	generated	-
proc-fs-nfsd.mount	static	-
proc-sys-fs-binfmt_misc.mount	disabled	disabled
sys-fs-fuse-connections.mount	static	-
sys-kernel-config.mount	static	-
sys-kernel-debug.mount	static	-
sys-kernel-tracing.mount	static	-
tmp.mount	static	-
var-lib-machines.mount	static	-
var-lib-nfs-rpc_pipefs.mount	static	-
brltty.path	disabled	disabled
brltty@.path	disabled	disabled
cups.path	enabled	disabled
gpm.path	static	-
ostree-finalize-staged.path	disabled	disabled
systemd-ask-password-console.path	static	-
systemd-ask-password-plymouth.path	static	-
systemd-ask-password-wall.path	static	-
vboxdrmlclient.path	static	-
vmware-networks.path	disabled	disabled
vmware-usbarbitrator.path	disabled	disabled
session-2.scope	transient	-
accounts-daemon.service	disabled	disabled
addshare.service	disabled	disabled
adsl.service	disabled	disabled
apparmor.service	enabled	disabled
arpables.service	disabled	disabled
atd.service	disabled	disabled

Описание: Avahi mDNS/DNS SD-Stack

Загрузить ▾ Службы и процессы systemd Сохранить ▾

Список юнитов и состояния

UNIT	LOAD	ACTIVE	SUB
DESCRIPTION			
● boot.automount	not-found	inactive	dead
boot.automount			
proc-sys-fs-binfmt_misc.automount		loaded	active running
Arbitrary Executable File Formats File System Automount Point			
dev-bus-usb-001-009.device		loaded	active plugged
SP_150SU			
dev-disk-by\x2did-ata\x2dCT240BX500SSD1_2028E405CB4D.device			loaded
active plugged CT240BX500SSD1			
dev-disk-by\x2did-ata\x2dCT240BX500SSD1_2028E405CB4D\x2dpart1.device			
loaded active plugged CT240BX500SSD1 bios_boot			
dev-disk-by\x2did-ata\x2dCT240BX500SSD1_2028E405CB4D\x2dpart2.device			
loaded active plugged CT240BX500SSD1 EFI			
dev-disk-by\x2did-ata\x2dCT240BX500SSD1_2028E405CB4D\x2dpart3.device			
loaded active plugged CT240BX500SSD1 ublinux			
dev-disk-by\x2did-ata\x2dST500DM002\x2d1BD142_Z3TJ2HER.device			loaded
active plugged ST500DM002-1BD142			
dev-disk-by\x2did-ata\x2dST500DM002\x2d1BD142_Z3TJ2HER\x2dpart1.device			
loaded active plugged ST500DM002-1BD142 1			
dev-disk-by\x2did-ata\x2dST500DM002\x2d1BD142_Z3TJ2HER\x2dpart2.device			
loaded active plugged ST500DM002-1BD142 2			
dev-disk-by\x2did-ata\x2dST500DM002\x2d1BD142_Z3TJ2HER\x2dpart3.device			
loaded active plugged ST500DM002-1BD142 3			
dev-disk-by\x2did-usb\x2dADATA_SE800_2M372L11G72J\x2d0:0.device			loaded
active plugged SE800			
dev-disk-by\x2did-usb\x2dADATA_SE800_2M372L11G72J\x2d0:0\x2dpart1.device			
loaded active plugged SE800 bios_boot			
dev-disk-by\x2did-usb\x2dADATA_SE800_2M372L11G72J\x2d0:0\x2dpart2.device			
loaded active plugged SE800 EFI			
dev-disk-by\x2did-usb\x2dADATA_SE800_2M372L11G72J\x2d0:0\x2dpart3.device			
loaded active plugged SE800 ublinux			

Описание: Avahi mDNS/DNS SD-Stack

09

Загрузить ▾ Службы и процессы systemd Сохранить ▾

Список сокетов и состояния

LISTEN	UNIT	ACTIVATES
/dev/rfkill	systemd-rfkill.socket	systemd-rfkill.service
/run/avahi-daemon/socket	avahi-daemon.socket	avahi-daemon.service
/run/cockpit/wsinstance/http.sock	cockpit-wsinstance-http.socket	cockpit-wsinstance-
http.service		
/run/cockpit/wsinstance/https-factorysock	cockpit-wsinstance-https.socket -	
/run/cups/cups.sock	cups.socket	cups.service
/run/dbus/system_bus_socket	dbus.socket	dbus-broker.service
/run/dmeventd-client	dm-event.socket	dm-event.service
/run/dmeventd-server	dm-event.socket	dm-event.service
/run/initctl	systemd-initctl.socket	systemd-
initctl.service		
/run/lvm/lvmpolld.socket	lvm2-lvmpolld.socket	lvm2-lvmpolld.service
/run/systemd/coredump	systemd-coredump.socket	-
/run/systemd/journal/dev-log	systemd-journald-dev-log.socket	systemd-journald.service
/run/systemd/journal/socket	systemd-journald.socket	systemd-
journald.service		
/run/systemd/journal/stdout	systemd-journald.socket	systemd-
journald.service		
/run/systemd/journal/syslog	syslog.socket	syslog.service
/run/udev/control	systemd-udev-control.socket	systemd-
udev.service		
cockpit.socket	cockpit.socket	cockpit.service
audit 1	systemd-journald-audit.socket	systemd-journald.service
kobject-uevent 1	systemd-udev-kernel.socket	systemd-
udev.service		

19 sockets listed.

Описание: Avahi mDNS/DNS SD-Stack

Загрузить ▼

Службы и процессы systemd


Сохранить ▼

Список таймеров и состояния

NEXT	LEFT	LAST	PASSED	UNIT	ACTIVATES
Fri 2024-02-23 00:00:00	+06 12h left	n/a	n/a	logrotate.timer	
logrotate.service					
Fri 2024-02-23 00:00:00	+06 12h left	n/a	n/a	shadow.timer	
shadow.service					
Fri 2024-02-23 04:24:35	+06 17h left	n/a	n/a	man-db.timer	man-
db.service					
Fri 2024-02-23 09:20:39	+06 21h left	Thu 2024-02-22 09:20:39	+06 2h 1min ago	systemd-tmpfiles-clean.timer	systemd-tmpfiles-
clean.service					
Fri 2024-02-23 11:22:34	+06 24h left	n/a	n/a	updatedb.timer	
updatedb.service					
Sat 2024-03-02 15:00:00	+06 1 week 2 days left	n/a	n/a	pamac-cleancache.timer	
pamac-cleancache.service					

6 timers listed.

Описание:



12

Загрузить ▾ Службы и процессы systemd Сохранить ▾

Свойства

⏮ ⏪ ⏩ ⏭

```
Type=dbus
ExitType=main
Restart=no
NotifyAccess=main
RestartUsec=100ms
TimeoutStartUsec=1min 30s
TimeoutStopUsec=1min 30s
TimeoutAbortUsec=1min 30s
TimeoutStartFailureMode=terminate
TimeoutStopFailureMode=terminate
RuntimeMaxUsec=infinity
RuntimeRandomizedExtraUsec=0
WatchdogUsec=0
WatchdogTimestampMonotonic=0
RootDirectoryStartOnly=no
RemainAfterExit=no
GuessMainPID=yes
MainPID=9036
ControlPID=0
BusName=org.freedesktop.Avahi
FileDescriptorStoreMax=0
NFileDescriptorStore=0
StatusText=avahi-daemon 0.8 starting up.
StatusErrno=0
Result=success
ReloadResult=success
CleanResult=success
UID=[not set]
GID=[not set]
NRestarts=0
OOMPolicy=stop
ExecMainStartTimestamp=Thu 2024-02-22 09:05:58 +06
```

Описание: Avahi mDNS/DNS SD-Stack

14

Загрузить ▾ Службы и процессы systemd Сохранить ▾

Состояние avahi-daemon.service

- **avahi-daemon.service - Avahi mDNS/DNS-SD Stack**
 - Loaded: loaded (/usr/lib/systemd/system/avahi-daemon.service; enabled; vendor preset: disabled)
 - Active: **active (running)** since Mon 2023-06-26 09:56:52 +06; 6h ago
 - TriggeredBy: ● avahi-daemon.socket
 - Main PID: 9200 (avahi-daemon)
 - Status: "avahi-daemon 0.8 starting up."
 - Tasks: 2 (limit: 19041)
 - Memory: 1.5M
 - CPU: 507ms
 - CGroup: /system.slice/avahi-daemon.service
 - └─9200 "avahi-daemon: running mmx166-pc.local"
 - └─9226 "avahi-daemon: chroot helper"

```

июн 26 09:56:55 mmx166-pc avahi-daemon[9200]: Registering new address record for fe80::6e8d:
24a9:9e57:deae on enp2s0.*.
июн 26 09:56:55 mmx166-pc avahi-daemon[9200]: Joining mDNS multicast group on interface vmnet1.IPv6 with
address fe80::250:56ff:fec0:1.
июн 26 09:56:55 mmx166-pc avahi-daemon[9200]: New relevant interface vmnet1.IPv6 for mDNS.
июн 26 09:56:55 mmx166-pc avahi-daemon[9200]: Registering new address record for fe80::250:56ff:fec0:1 on
vmnet1.*.
июн 26 09:56:55 mmx166-pc avahi-daemon[9200]: Joining mDNS multicast group on interface vmnet8.IPv6
with address fe80::250:56ff:fec0:8.
июн 26 09:56:55 mmx166-pc avahi-daemon[9200]: New relevant interface vmnet8.IPv6 for mDNS.
июн 26 09:56:55 mmx166-pc avahi-daemon[9200]: Registering new address record for fe80::250:56ff:fec0:8 on
vmnet8.*.
июн 26 09:56:57 mmx166-pc avahi-daemon[9200]: Joining mDNS multicast group on interface enp2s0.IPv4
with address 192.168.215.18.
июн 26 09:56:57 mmx166-pc avahi-daemon[9200]: New relevant interface enp2s0.IPv4 for mDNS.
июн 26 09:56:57 mmx166-pc avahi-daemon[9200]: Registering new address record for 192.168.215.18 on
enp2s0.IPv4.

```

Описание: Avahi mDNS/DNS SD-Stack


15

Загрузить ▾ Службы и процессы systemd Сохранить ▾

Просмотр лога avahi-daemon.service

```
фес 21 16:22:54 mmx166-pc systemd[1]: Starting Avahi mDNS/DNS-SD Stack...
фес 21 16:22:54 mmx166-pc avahi-daemon[9142]: Found user 'avahi' (UID 84) and group 'avahi' (GID 84).
фес 21 16:22:54 mmx166-pc avahi-daemon[9142]: Successfully dropped root privileges.
фес 21 16:22:54 mmx166-pc avahi-daemon[9142]: avahi-daemon 0.8 starting up.
фес 21 16:22:54 mmx166-pc avahi-daemon[9142]: Successfully called chroot().
фес 21 16:22:54 mmx166-pc avahi-daemon[9142]: Successfully dropped remaining capabilities.
фес 21 16:22:54 mmx166-pc avahi-daemon[9142]: No service file found in /etc/avahi/services.
фес 21 16:22:54 mmx166-pc systemd[1]: Started Avahi mDNS/DNS-SD Stack.
фес 21 16:22:54 mmx166-pc avahi-daemon[9142]: Joining mDNS multicast group on interface loIPv4 with
address 127.0.0.1.
фес 21 16:22:54 mmx166-pc avahi-daemon[9142]: New relevant interface loIPv4 for mDNS.
фес 21 16:22:54 mmx166-pc avahi-daemon[9142]: Network interface enumeration completed.
фес 21 16:22:54 mmx166-pc avahi-daemon[9142]: Registering new address record for 127.0.0.1 on loIPv4.
фес 21 16:22:55 mmx166-pc avahi-daemon[9142]: Server startup complete. Host name is mmx166-pc.local.
Local service cookie is 882637154.
фес 21 16:22:55 mmx166-pc avahi-daemon[9142]: Joining mDNS multicast group on interface vmnet1.IPv4 with
address 192.168.208.1.
фес 21 16:22:55 mmx166-pc avahi-daemon[9142]: New relevant interface vmnet1.IPv4 for mDNS.
фес 21 16:22:55 mmx166-pc avahi-daemon[9142]: Registering new address record for 192.168.208.1 on
vmnet1.IPv4.
фес 21 16:22:55 mmx166-pc avahi-daemon[9142]: Joining mDNS multicast group on interface vmnet8.IPv4 with
address 192.168.222.1.
фес 21 16:22:55 mmx166-pc avahi-daemon[9142]: New relevant interface vmnet8.IPv4 for mDNS.
фес 21 16:22:55 mmx166-pc avahi-daemon[9142]: Registering new address record for 192.168.222.1 on
vmnet8.IPv4.
фес 21 16:22:58 mmx166-pc avahi-daemon[9142]: Joining mDNS multicast group on interface enp2s0.IPv6 with
address fe80::bb6d:d853:6635:c011.
фес 21 16:22:58 mmx166-pc avahi-daemon[9142]: New relevant interface enp2s0.IPv6 for mDNS.
фес 21 16:22:58 mmx166-pc avahi-daemon[9142]: Registering new address record for
fe80::bb6d:d853:6635:c011 on enp2s0.*.
фес 21 16:23:05 mmx166-pc avahi-daemon[9142]: Joining mDNS multicast group on interface enp2s0.IPv4 with
address 192.168.215.18.
```

Описание: Avahi mDNS/DNS SD-Stack



19

Службы и процессы systemd

Внимание!

Службы и процессы systemd
Настройка работы служб и процессов системы

Системные кинеты Пользовательские кинеты Конфигурационные файлы Сессии Таймеры

Все ☐ Показать не активные ☐ Показать не загруженные obex

	Настройка в конфигурации			Настройка в системе			Служба
	Автостарт	Автостоп	Блокировать	Автостарт	Запущена	Юнит	
☐	☐	☐	☐	☒	☒	запущен	obex.service
							Обновить
							Запустить/Остановить
							Перезапустить
							Перезагрузить настройки
							Состояние
							Показать лог
							Показать файл-источник
							Свойства

Служба: obex.service

Описание: Service Bluetooth OBEX

The screenshot shows a window titled "Службы и процессы systemd" (Systemd Services and Processes). The window has a top bar with a gear icon, a dropdown menu "Загрузить" (Load), the title, a dropdown menu "Сохранить" (Save), and window control buttons. Below the top bar is a tab labeled "Состояние obex.service" (Status of obex.service) with a yellow warning icon and a save icon. The main content area is dark gray and displays the following information:

- obex.service - Bluetooth OBEX service
- Loaded: loaded (/usr/lib/systemd/user/obex.service; disabled; vendor preset: enabled)
- Active: **active (running)** since Wed 2024-03-06 09:13:57 +06; 3h 45min ago
- Main PID: 10771
- Tasks: 1 (limit: 19041)
- Memory: 1.8M
- CPU: 10ms
- CGroup: /user.slice/user-1000.slice/user@1000.service/app.slice/obex.service
 - └─10771 /usr/lib/bluetooth/obexd

On the left side of the window, there is a vertical sidebar with several icons: a gear, a refresh icon, a back icon, a forward icon, a circular arrow, an information icon, a document icon, a folder icon, a list icon, and a menu icon. Below these icons is a label "Bce". At the bottom of the window, there is a description: "Описание: Service Bluetooth OBEX".

